L Number	Hits	Search Text	DB	Time stamp
1	62	bioptical same laser	USPAT;	2003/09/20 13:58
			US-PGPUB;	
			EPO; JPO;	Į.
			DERWENT;	ı
			IBM TDB	
2	48	bioptical.clm. same laser.clm.	USPAT;	2003/09/20 13:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
3	43	bioptical.clm. and laser.clm. and	USPAT;	2003/09/20 13:59
		folding.clm. and mirrors.clm. and	US-PGPUB;	
		bottom.clm.	EPO; JPO;	
			DERWENT;]
			IBM_TDB	1
4	37		USPAT;	2003/09/20 13:59
		folding.clm. and mirrors.clm. and	US-PGPUB;	1
		bottom.clm. and vertical.clm. and	EPO; JPO;	1
		window.clm.	DERWENT;	1
			IBM TDB	1
5	37		USPAT;	2003/09/20 13:59
1		folding.clm. and mirrors.clm. and	US-PGPUB;	1
()		bottom.clm. and vertical.clm. and	EPO; JPO;	1
		window.clm. and degrees.clm.	DERWENT;	1
91		-	IBM TDB	1
6	0	bioptical.clm. and laser.clm. and	USPAT;	2003/09/20 13:59
5		folding.clm. and mirrors.clm. and	US-PGPUB;	1
		bottom.clm. and vertical.clm. and	EPO; JPO;	1
		window.clm. and degrees.clm. and	DERWENT;	1
		propagration.clm.	IBM TDB	1
7	35		USPAT;	2003/09/20 14:18
		folding.clm. and mirrors.clm. and	US-PGPUB;	1
9		bottom.clm. and vertical.clm. and	EPO; JPO;	1
1		window.clm. and degrees.clm. and	DERWENT;	1
		exterior.clm.	IBM TDB	1
8	2	bioptical.clm. same laser.clm. same	USPAT;	2003/09/20 14:04
1		folding.clm. same mirrors.clm. same	US-PGPUB;	1
		bottom.clm.	EPO; JPO;	1
			DERWENT;	1
			IBM TDB	1
9	13	(bioptical.clm. and laser.clm. and	USPAT;	2003/09/20 14:18
		folding.clm. and mirrors.clm. and	US-PGPUB;	1
		bottom.clm. and vertical.clm. and	EPO; JPO;	1
	Į.	window.clm. and degrees.clm. and	DERWENT;	1
		exterior.clm.) not metrologic.asn.	IBM TDB	1